

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	995	257/786.ccls.	USPAT; US-PGP UB
2	BRS	L4	952	257/784.ccls.	USPAT; US-PGP UB
3	BRS	L7	269	257/702.ccls.	USPAT; US-PGP UB
4	BRS	L10	563	257/701.ccls.	USPAT; US-PGP UB
5	BRS	L13	816	L1 and pad	USPAT; US-PGP UB
6	BRS	L16	761	L4 and pad	USPAT; US-PGP UB
7	BRS	L19	308	L10 and pad	USPAT; US-PGP UB
8	BRS	L22	654	L13 and wire	USPAT; US-PGP UB
9	BRS	L25	693	L16 and wire	USPAT; US-PGP UB
10	BRS	L28	239	L19 and wire	USPAT; US-PGP UB
11	BRS	L31	181	L22 and (elongated or extended)	USPAT; US-PGP UB
12	BRS	L34	180	L25 and (elongated or extended)	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
13	BRS	L37	61	L28 and (elongated or extended)	USPAT; US-PGP UB
14	BRS	L40	812	257/777.ccls.	USPAT; US-PGP UB
15	BRS	L43	540	L40 and pad and wire	USPAT; US-PGP UB
16	BRS	L46	145	L43 and (elongated or extended)	USPAT; US-PGP UB
17	BRS	L52	0	L34 and (elongated adj pad)	USPAT; US-PGP UB
18	BRS	L58	1	L46 and (elongated adj pad)	USPAT; US-PGP UB
19	BRS	L55	1	L37 and (elongated adj pad)	USPAT; US-PGP UB
20	BRS	L49	3	L31 and (elongated adj pad)	USPAT; US-PGP UB
21	BRS	L61	7	L31 and (first adj chip)	USPAT; US-PGP UB
22	BRS	L64	12	L34 and (first adj chip)	USPAT; US-PGP UB
23	BRS	L67	3	L37 and (first adj chip)	USPAT; US-PGP UB
24	BRS	L70	29	L46 and (first adj chip)	USPAT; US-PGP UB
25	BRS	L73	1	"6383845".PN.	USPAT
26	BRS	L74	1	"6239496".PN.	USPAT

	Type	L #	Hits	Search Text	DBs
27	BRS	L75	1	"6369444".PN.	USPAT
28	BRS	L76	1	"6222265".PN.	USPAT
29	BRS	L77	1	"6297960".PN.	USPAT
30	BRS	L78	1	"6262488".PN.	USPAT
31	BRS	L79	1	"5939779".PN.	USPAT
32	BRS	L80	1	"5530292".PN.	USPAT
33	BRS	L81	1	"5508565".PN.	USPAT
34	BRS	L82	1	"5864178".PN.	USPAT
35	BRS	L83	1	"5523628".PN.	USPAT
36	BRS	L84	1	"5376825".PN.	USPAT
37	BRS	L85	1	"5108950".PN.	USPAT
38	BRS	L86	1	"4764804".PN.	USPAT
39	BRS	L87	1	"4620215".PN.	USPAT
40	BRS	L88	1187	257/723.ccls.	USPAT; US-PGP UB
41	BRS	L91	685	L88 and pad and wire	USPAT; US-PGP UB
42	BRS	L94	90	L91 and (first adj chip)	USPAT; US-PGP UB
43	BRS	L97	25	L94 and (elongated or extended)	USPAT; US-PGP UB
44	BRS	L100	8679	(bonding adj pad) and wire and (first adh chip)	USPAT; US-PGP UB
45	BRS	L103	2918	L100 and (elongated or extended)	USPAT; US-PGP UB
46	BRS	L106	1530	L103 and board	USPAT; US-PGP UB
47	BRS	L109	1282	L106 and (edge or peripher\$2)	USPAT; US-PGP UB
48	BRS	L112	489	L109 and (bonding adj wire)	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
49	BRS	L115	149936	L112 ansd stacked	USPAT; US-PGP UB
50	BRS	L118	140	L112 and stacked	USPAT; US-PGP UB
51	BRS	L121	429	257/723.ccls.	EPO; JPO; IBM_TD B
52	BRS	L125	451	257/784.ccls.	EPO; JPO; IBM_TD B
53	BRS	L129	355	257/786.ccls.	EPO; JPO; IBM_TD B